PROFESSIONAL QUALITY OF LIFE SCALE (PROQOL) Compassion Satisfaction and Fatigue

Compassion Satisfaction and Fatigue Version 5 (Stamm, 2009)

When you [help] people you have direct contact with their lives. As you may have found, your compassion for those you [help] can affect you in positive and negative ways. Below are some questions about your experiences, both positive and negative, as a [helper]. Consider each of the following questions about you and your current work situation. Select the number that honestly reflects how frequently you experienced these things in the <u>last 30 days</u>.

2=Rarely 3=Sometimes 4=Often

5=Very Often

1=Novor

1-140401	L -Italicity	0-00mcmics	T OILOII	0-Very Offeri	
1 Lam hann	,				
 1. I am happy	cunied with more	e than one person I [h g able to [help] people	nelnī		
 2. Lant preoc	action from boing	e man one person i [n	ι σ ιρ <u>]</u> .		
 J. I get satisio	action from being	g able to [rielp] people	·.		
 4. Heel Collin	ecteu to others. m startlad by un	avported counds			
 6. I fool invige	rated after work	expected sounds.	1		
 0. Tieerinvigo 7. I find it diffi	cult to coparate	my poreonal life from	my life as a <i>lhe</i>	elper]. raumatic experiences	
 7. I illiu it ullii	cuit to separate	ork because I am lesi	ng clean aver t	roumatia avaarianaa	٥f
	<i>.,</i> , ,				OI
a person i	[IIEIP]. I might have hed	on affected by the trai	imatic etrose of	f thosa l [heln]	
 9. I tillik tilat 10. I fool trapp	od by my job ac	o <i>Thelper</i>	umanc suess of		
 10. Heel trapp	f my <i>Thelnina</i>]	a [riciper]. have felt "on edge" ah	out various thi	nae	
 11. Decause 0 12. Hika my w	ntly [Helping], i ork as a [helper]	nave leit on euge at	out various triii	ngs.	
 12. Tilke illy W	ork as a [neiper]	If the traumatic evneri	ences of the ne	onle I <i>[heln]</i>	
 13. I feel deple	nugh I am exper	iencing the trauma of	someone I have	re [helned]	
 15. I have heli	ofe that eletain r	ne	Someone may	c [ricipca].	
 16. I am nleas	ed with how I am	en affected by the trau a [helper]. have felt "on edge" ab if the traumatic experi- iencing the trauma of ne. n able to keep up with	[helpina] techn	niques and protocols	
 17 I am the ne	erson Lalways w	anted to he	[noiping] teem	ilques and protocols.	
 18 My work m	akes me feel sa	tisfied			
 19. I feel worn	out because of i	my work as a <i>[helner]</i>			
20. I have han	ov thoughts and	feelings about those	I <i>[help]</i> and hov	w I could help them	
 21 I feel overv	helmed becaus	e my case [work] load	l seems endles	as	
 22. I believe I o	an make a diffe	rence through my woi	rk.		
 23. I avoid cert	ain activities or	situations because the	ev remind me c	w I could help them. es. of frightening experience	ces
	11				
24. I am proud	of what I can do	to [help].			
25. As a result	of my [helping].	I have intrusive, fright	tening thoughts	S.	
 26. I feel "bogo	ed down" by the	e system.	3 3		
 27. I have thou	ghts that I am a	"success" as a [helpe	er].		
 28. I can't reca	II important parts	s of my work with trau	ma victims.		
29. I am a very	caring person.	to [help]. I have intrusive, frighte system. "success" as a [helpe s of my work with trau			
30. I am happy	that I chose to	do this work.			

© B. Hudnall Stamm, 2009. *Professional Quality of Life: Compassion Satisfaction and Fatigue Version 5 (ProQOL)*. /www.isu.edu/~bhstamm or www.proqol.org. This test may be freely copied as long as (a) author is credited, (b) no changes are made, and (c) it is not sold.

Scoring

In this section, you will score your test and then you can compare your score to the interpretation below.

Scoring

- 1. Be certain you respond to all items.
- 2. Go to items 1, 4, 15, 17 and 29 and reverse your score. For example, if you scored the item 1, write a 5 beside it. We ask you to reverse these scores because we have learned that the test works better if you reverse these scores.

You Wrote	Change To
1	5
2	4
3	3
4	2
5	1

To find your score on **Compassion Satisfaction**, add your scores on questions 3, 6, 12, 16, 18, 20, 22, 24, 27, 30.

The Sum of my Compassion Satisfaction question was	So my score equals	My level of Compassion Satisfaction
22 or less	43 or less	Low
Between 23 and 41	Around 50	Average
42 or more	57 or more	High

To find your score on **Burnout**, add your scores questions 1, 4, 8, 10, 15, 17, 19, 21, 26 and 29. Find your score on the table below.

The Sum of my Burnout questions	So my score equals	My level of Burnout
22 or less	43 or less	Low
Between 23 and 41	Around 50	Average
42 or more	57 or more	High

To find your score on **Secondary Traumatic Stress**, add your scores on questions 2, 5, 7, 9, 11, 13, 14, 23, 25, 28. Find your score on the table below.

The Sum of my Secondary Traumatic Stress questions	So my score equals	My level of Secondary Traumatic Stress
22 or less	43 or less	Low
Between 23 and 41	Around 50	Average
42 or more	57 or more	High

[©] B. Hudnall Stamm, 2009. *Professional Quality of Life: Compassion Satisfaction and Fatigue Version 5 (ProQOL)*. /www.isu.edu/~bhstamm or www.proqol.org. This test may be freely copied as long as (a) author is credited, (b) no changes are made, and (c) it is not sold.

COMPASSION FATIGUE PRE-WORKSHOP MATERIALS COMPASSION FATIGUE ASSESSMENT PROFILE

1. Professional Quality of Life: Compassion Satisfaction and Fatigue (ProQOL) Version 5 (Stamm, 2009)

Measures

Secondary Traumatic Stress_

Based on your responses, your personal scores are below. If you have any concerns, you should discuss them with a physical or mental health care professional.

Compassion Satisfaction
Compassion satisfaction is about the pleasure you derive from being able to do your work well. For example, you may feel like it is a pleasure to help others through your work. You may feel positively about your colleagues or your ability to contribute to the work setting or even the greater good of society. Higher scores on this scale represent a greater satisfaction related to your ability to be an effective caregiver in your job. The average score is 50 (SD 10; alpha scale reliability .88). About 25% of people score higher than 57 and about 25% of people score below 43. If you are in the higher range, you probably derive a good deal of professional satisfaction from your position. If your scores are below 40, you may either find problems with your job, or there may be some other reason—for example, you might derive your satisfaction from activities other than your job.
Burnout
Most people have an intuitive idea of what burnout is. From the research perspective, burnout is one of the elements of compassion fatigue. It is associated with feelings of hopelessness and difficulties in dealing with work or in doing your job effectively. These negative feelings usually have a gradual onset. They can reflect the feeling that your efforts make no difference, or they can be associated with a very high workload or a non-supportive work environment. Higher scores on this scale mean that you are at higher risk for burnout. The average score on the burnout scale is 50 (SD 10; alpha scale reliability .75). About 25% of people score above 57 and about 25% of people score below 43. If your score is below 18, this probably reflects positive feelings about your ability to be effective in your work. If you score above 57 you may wish to think about what at work makes you feel like you are not effective in your position. Your score may reflect your mood; perhaps you were having a -bad dayll or are in need of some time off. If the high score persists or if it is reflective of other worries, it may be a cause for concern.

The second component of Compassion Fatigue (CF) is secondary traumatic stress (STS). It is about your workrelated, secondary exposure to extremely or traumatically stressful events. Developing problems due to exposure to other's trauma is somewhat rare but does happen to many people who care for those who have experienced extremely or traumatically stressful events. For example, you may repeatedly hear stories about the traumatic things that happen to other people, commonly called Vicarious Traumatization. You may see or provide treatment to people who have experienced horrific events. If your work puts you directly in the path of danger, due to your work as a soldier or civilian working in military medicine personnel, this is not secondary exposure; your exposure is primary. However, if you are exposed to others' traumatic events as a result of your work, such as providing care to casualties or for those in a military medical rehabilitation facility, this is secondary exposure. The symptoms of STS are usually rapid in onset and associated with a particular event. They may include being afraid, having difficulty sleeping, having images of the upsetting event pop into your mind, or avoiding things that remind you of the event. The average score on this scale is 50 (SD 10; alpha scale reliability .81). About 25% of people score below 43 and about 25% of people score above 57. If your score is above 57, you may want to take some time to think about what at work may be frightening to you or if there is some other reason for the elevated score. While higher scores do not mean that you do have a problem, they are an indication that you may want to examine how you feel about your work and your work environment. You may wish to discuss this with your supervisor, a colleague, or a health care professional.

© B. Hudnall Stamm, 2009. *Professional Quality of Life: Compassion Satisfaction and Fatigue Version 5 (ProQOL)*. /www.isu.edu/~bhstamm or www.proqol.org. This test may be freely copied as long as (a) author is credited, (b) no changes are made, and (c) it is not sold.